

Red Hat High Availability Clustering

Kód kurzu: RH436

Od ledna 2026 je možné za původních podmínek zakoupit pouze prezenční Red Hat školení. Virtuální kurzy (VT) jsou dostupné výhradně v rámci ročního předplatného RHLS Course. Jak si naplánovat virtuální kurz v Red Hat Learning Subscription Course naleznete zde.

Deploy reliable, available critical production services in a high availability cluster. In the Red Hat High Availability Clustering (RH436) course, you will learn how to provide highly available network services to a mission-critical enterprise environment through the deployment and management of shared storage and server clusters. Created for senior Linux system administrators, this 4-day course strongly emphasizes lab-based activities. You will set up a cluster of systems running the Pacemaker component of the Red Hat Enterprise Linux High-Availability Add-On, and deploy Linux-based services such as web servers and databases on that cluster. Cluster storage components from the Resilient Storage Add-On are also covered; installations and applications that require multiple cluster nodes can access the same storage simultaneously. This includes Logical Volume Manager (LVM) Shared Volume Groups, Red Hat Global File System 2 (GFS2), and Device-Mapper Multipath. This course is based on Red Hat Enterprise Linux 8.3..

Pobočka	Dnů	Cena kurzu	ITB
Praha	4	2 540 €	0
Brno	4	2 540 €	0
Bratislava	4	2 540 €	0

Uvedené ceny jsou bez DPH.

Termíny kurzu

Datum	Dnů	Cena kurzu	Typ výuky	Jazyk výuky	Lokalita
-------	-----	------------	-----------	-------------	----------

Uvedené ceny jsou bez DPH.

Pro koho je kurz určen

Senior Linux system administrators who use high-availability clustering and fault-tolerant shared storage technologies to maximize resiliency of production services.

Co Vás naučíme

- Install and configure a Pacemaker-based high availability cluster.
- Create and manage highly available services.
- Troubleshoot common cluster issues.
- Work with shared storage (iSCSI) and configure multipathing.
- Implement Logical Volume Manager (LVM) in cluster-aware configurations.
- Configure GFS2 file systems on storage shared by multiple nodes.

Požadované vstupní znalosti

- Red Hat Certified System Administrator (RHCSA) exam (EX200) and associated courses.
- Red Hat Certified Engineer (RHCE) exam (EX294) and associated courses.

Studijní materiály

Studijní materiál Red Hat

Osnova kurzu

Creating high availability clusters

Create a basic high availability cluster.

Managing cluster nodes and quorum

Manage node membership in the cluster and describe how it impacts cluster operation.

GOPAS Praha
Na Strži 2097/63
140 00 Praha 4 - Krč
Tel.: +420 226 201 390
info@gopas.cz

GOPAS Brno
Nové sady 996/25
602 00 Brno
Tel.: +420 530 513 590
info@gopas.cz

GOPAS Bratislava
Dr. Vladimíra Clementisa 10
Bratislava, 821 02
Tel.: +421 902 903 132
info@gopas.sk



Copyright © 2026 GOPAS, a.s.,
All rights reserved

Red Hat High Availability Clustering

Isolating malfunctioning cluster nodes

Isolate unresponsive cluster nodes to protect data and recover services and resources after a failure.

Creating and configuring resources

Create basic resources and resource groups to provide highly available services.

Troubleshooting high availability clusters

Identify, diagnose, and fix cluster issues.

Automating cluster and resource deployment

Deploy a new high availability cluster and cluster resources using Ansible automation.

Managing two-node clusters

Operate two-node clusters while identifying and avoiding issues specific to a two-node cluster configuration.

Accessing iSCSI storage

Configure iSCSI initiators on your servers to access block-based storage devices provided by network storage arrays or Ceph storage clusters.

Accessing storage devices resiliently

Configure resilient access to storage devices that have multiple access paths.

Configuring LVM in clusters

Select, configure, and manage the correct LVM configuration for use in your cluster.

Providing storage with the GFS2 cluster file system

Use the GFS2 cluster file system to simultaneously provide tightly coupled shared storage that can be accessed by multiple nodes.

Eliminating single points of failure

Identify and eliminate single points of failure in your cluster to decrease risk and increase average service availability.

Note: Course outline is subject to change with technology advances and as the nature of the underlying job evolves.

Co musíte vědět

Impact on the organization

High availability clustering can improve reliability, availability, and resiliency of your mission-critical services, resulting in reduced downtime and easier hardware maintenance.

Red Hat has created this course in a way intended to benefit our customers, but each company and infrastructure is unique, and actual results or benefits may vary.

Impact on the individual

As a result of attending this course, you will be able to create, manage, and troubleshoot highly available network services and tightly-coupled cluster storage for business-critical applications.

Students should be able to demonstrate the following skills:

Improve application uptime by using high availability clustering.

Manage storage in an high availability environment using iSCSI initiators, HA-LVM or LVM Shared Volume Groups as appropriate, and GFS2 cluster file systems.

Implement strategies to identify and eliminate single points of failure in high availability clusters.

GOPAS Praha
Na Strži 2097/63
140 00 Praha 4 - Krč
Tel.: +420 226 201 390
info@gopas.cz

GOPAS Brno
Nové sady 996/25
602 00 Brno
Tel.: +420 530 513 590
info@gopas.cz

GOPAS Bratislava
Dr. Vladimíra Clementisa 10
Bratislava, 821 02
Tel.: +421 902 903 132
info@gopas.sk



Copyright © 2026 GOPAS, a.s.,
All rights reserved